





Friction Materials & Phenolic Bearings

Product Spotlight: Gemini-GX Extruded

May 31, 2016

Dear Customer,

Scan-Pac's Gemini-GX extruded is solving problems for customers looking for a lower cost flexible material that is effective on a wide range of industrial applications. Our GX materials have been used on fork lifts, antique cars, golf carts, electric motor brakes, industrial machines, winches and disc brakes. The material is available in roll form or cut lengths and is extremely easy to use. Gemini-GX has a high level of flexibility that can be easily bonded to a backing plate, drum, or brake band.

Scan-Pac's Gemini-GX will perform at a high level on your applications. It boasts a low wear rate at .002 inch^3 /hp-hr and stable mid coefficient of friction at .43. This material can ship within 24 hours of order placement.









Friction Materials & Phenolic Bearings

All Gemini-GX roll sizes are listed on page three. If you have any questions or would like to place an order for this material, please contact one of our friendly and helpful customer service representatives.

Scan-Pac Manufacturing continues to release new materials for use on some of the most challenging applications you will encounter. Our two R&D experts have solved problems for customers on a wide range of challenging applications.

Do you have a difficult application where your current friction material is underperforming? Put our R&D experts to the test. After they examine your application, our development specialists will recommend a solution tailored to your specific challenge.

Scan-Pac Mfg. is a manufacturer of non-asbestos friction materials and phenolic laminates for use in a wide range of industrial and oilfield applications. The company has three manufacturing locations that include two facilities in Menomonee Falls, Wisconsin and one in Magnolia, Texas. Scan-Pac employs 100 individuals and has proudly been in business for more than 40 years.

Download our Scan-Pac App using the links below or find it on the App Store or Google Play.

Toll Free: 888-880-6388

www.scanpac.com



Thanks and best regards,

Jeff Lichey
VP, Sales & Marketing







Friction Materials & Phenolic Bearings

Gemini-GX List of Available Roll Sizes

Thickness	Width	Length (Feet)
1/8"	1"	34'
1/8"	1 ½"	34'
1/8"	4"	34'
1/8"	8 ½"	34'
5/32"	1 ½"	34'
3/16"	1"	34'
3/16"	1 ½"	34'
3/16"	2"	34'
3/16"	2 ½"	34'
3/16"	3"	34'
3/16"	3 ½"	34'
3/16"	4"	34'
3/16"	8 ½"	34'
1/4"	1 ½"	24'
1/4"	2"	24'
1/4"	3"	24'
1/4"	3 ½"	24'
1/4"	4"	24'
1/4"	5"	24'
1/4"	8 ½"	24'
5/16"	3"	16'
5/16"	3 ½"	16'
5/16"	4"	16′
5/16"	7 ½"	16′
3/8"	2 ½"	16'
3/8"	3"	16'
3/8"	3 ½"	16′
3/8"	4"	16'
3/8"	5"	16'
3/8"	6"	16'
3/8"	7"	16′